

MORaine PROPERTY

A great place to discover a till covered deposit

The Moraine property covers copper-gold-silver-molybdenum-tungsten skarn horizons and a nearby auriferous quartz vein, and has potential to host porphyry style mineralization. It lies at the southern end of the Dawson Range Gold Belt, which is renowned for its mineral endowment. Recent exploration in the belt has identified or advanced numerous projects including Strategic's Hopper prospect and the Klaza, Casino, Coffee and White Gold deposits (Figure 1).

The property comprises 326 contiguous mineral claims (65 sq km) area and is located 90 km west-northwest of Whitehorse.

The Moraine property lies within the Yukon-Tanana Terrane, a continental arc that developed along the ancient Pacific Margin of North America from Late Devonian to Permian.




Figure 1 – Property Location



Photo 1 – forest underlain by glacial till

The area has been heavily glaciated and, consequently, lower elevations are blanketed by glacial till of unknown thickness (Photo 1). Due to the overburden cover and gentle topography, outcrop is limited on the property. Detailed geological mapping has only been conducted in a few areas (Photo 2).

Based on regional-scale mapping and interpretation of geophysical data, the property is believed to be underlain by Nisling Assemblage meta-sedimentary rocks, which are overlain by a sliver of Pelly Gneiss Suite meta-intrusive rocks. The



Photo 2 – historical bulldozer trench facing northeast

Paleozoic metamorphic package has been intruded by Late Cretaceous (78 Ma) granitic plutons that place it in the same metallogenic episode as the mineralization at Casino, Klaza and Hopper.

Two skarn zones have been identified (North and South) in the western part of the property. The North Skarn has been discontinuously sampled over a 30 by 100 m area. Samples yielded values up to 0.771 g/t gold, 25.2 g/t silver, 3.72% copper, 804 ppm molybdenum and 930 ppm

tungsten. The North Skarn is open to the southeast where historical trenches were excavated, but did not reach bedrock. The South Skarn spans a 70 by 120 m area and has returned values up to 2.1 g/t gold, 425 g/t silver, 7.22% copper, 178 ppm molybdenum and 740 ppm tungsten. Rusty, mineralized quartz vein float was discovered in a shallow trench near the South Skarn. The vein material comprises pale grey to white drusy quartz with up to 30% vugs. A sample of quartz vein graded 13.7 g/t gold and 9.9 g/t silver with low copper, molybdenum and tungsten values. The vein is not exposed in bedrock and no attempt has been made to trace the float to source.

Helicopter-borne geophysical surveys and soil geochemical sampling have produced numerous anomalies that have not been followed up.

Future work on the Moraine property should be conducted in the areas of known mineralization and near geochemical anomalies in the southeastern part of the property. Work programs should include additional soil sampling and excavator trenching or self-propelled RC or RAB drilling in areas where soil sampling suggests a local source. Detailed geomorphological studies should also be conducted to better understand the direction and nature of the glacial and glacial-fluvial transportation on the property.

Updated January 2, 2018

FOR MORE INFORMATION ON THIS PROPERTY

Contact Richard Drechsler
Phone: 604 687 2522
Email: rdrechsler@strategicmetalsltd.com



Doug Eaton
Phone: 604 688 2568
Email: info@nordacres.com
www.strategicmetalsltd.com